## DACINTERNATIONAL



#### **1. TECHNICAL SPECIFICATIONS**

### **1.1 FILTER HOUSING** Construction

The filter housings are designed in accordance with international regulations. They consist of a filter head (with 4-hole flange), filter bowl and a screw-on cover plate. Standard equipment:

- with bypass valve
- connection for a clogging indicator (Important: please state mounting position for indicator!)

#### **1.2 FILTER ELEMENTS**

HYDAC filter elements are validated and their quality is constantly monitored according to the following standards:

- ISO 2941
- ISO 2942
- ISO 2943
- ISO 3724
- ISO 3968
- ISO 11170
- ISO 16889

#### **Contamination retention capacities** in a

|      | Betamicron <sup>®</sup> (BN4HC) |       |       |       |  |  |  |  |  |  |  |  |  |
|------|---------------------------------|-------|-------|-------|--|--|--|--|--|--|--|--|--|
| RFM  | 3 µm                            | 5 µm  | 10 µm | 20 µm |  |  |  |  |  |  |  |  |  |
| 75   | 10.3                            | 11.4  | 13.5  | 15.5  |  |  |  |  |  |  |  |  |  |
| 90   | 12.2                            | 13.5  | 16.2  | 18.3  |  |  |  |  |  |  |  |  |  |
| 150  | 20.4                            | 22.6  | 27.2  | 30.8  |  |  |  |  |  |  |  |  |  |
| 165  | 18.7                            | 20.7  | 24.9  | 28.2  |  |  |  |  |  |  |  |  |  |
| 185  | 25.6                            | 28.4  | 34.1  | 38.6  |  |  |  |  |  |  |  |  |  |
| 210  | 50.7                            | 56.2  | 67.6  | 76.5  |  |  |  |  |  |  |  |  |  |
| 270  | 78.4                            | 86.9  | 104.5 | 118.2 |  |  |  |  |  |  |  |  |  |
| 330  | 38.4                            | 42.6  | 51.2  | 57.9  |  |  |  |  |  |  |  |  |  |
| 500  | 58.9                            | 65.3  | 78.6  | 88.9  |  |  |  |  |  |  |  |  |  |
| 600  | 145.5                           | 161.3 | 194.0 | 219.4 |  |  |  |  |  |  |  |  |  |
| 660  | 87.1                            | 96.5  | 116.1 | 131.3 |  |  |  |  |  |  |  |  |  |
| 850  | 112.1                           | 124.2 | 149.5 | 169.1 |  |  |  |  |  |  |  |  |  |
| 950  | 130.0                           | 144.1 | 173.3 | 196.1 |  |  |  |  |  |  |  |  |  |
| 1300 | 181.0                           | 200.7 | 241.4 | 273.1 |  |  |  |  |  |  |  |  |  |
| 2600 | 369.4                           | 409.4 | 492.5 | 557.2 |  |  |  |  |  |  |  |  |  |
|      |                                 |       |       |       |  |  |  |  |  |  |  |  |  |

Filter elements are available with the following pressure stability values:

| Betamicron <sup>®</sup> (BN4HC):                  | 20 | bar |
|---|----|-----|
| ECOmicron <sup>®</sup> (ECON2):                   | 10 | bar |
| Stainl. steel wire mesh (W/HC)                    | 20 | bar |
| Paper (P/HC):                                     | 10 | bar |
| Betamicron <sup>®</sup> / Aquamicron <sup>®</sup> |    |     |
| (BN4AM):  | 10 | bar |
| Aquamicron <sup>®</sup> (AM):                     | 10 | bar |
| Mobilemicron (MM):                                | 10 | bar |
|   |    |     |


## **Return Line Filter RFM** with 4-Hole Mounting

#### Tank-top mounted versions: up to 850 l/min, up to 10 bar RFM 75 RFM 90 RFM 150 RFM 165 RFM 185 RFM 270 RFM 330 RFM 210 RFM 500 RFN 600 f::



#### **1.3 FILTER SPECIFICATIONS**

|   | 40 h a r  |
|---|---|
| Nominal pressure Temperature range  | 10 bar<br>-30 °C to +100 °C (short-term: -40 °C)  |
| Material of filter head   | Aluminium: all RFM  |
| Material of filter bowl   | Polyamide: all RFM except 210, 270, 600<br>Steel: RFM 210, 270, 600   |
| Material of cover plate   | Polyamide: RFM 75 to 270<br>Aluminium: RFM 330 to 851   |
| Type of clogging indicator  | VR Connection thread G 1/2<br>VMF Connection thread G 1/8<br>(return line indication)   |
| Pressure setting of the clogging indicator  | 2 bar (others on request)   |
| Bypass cracking pressure  | 3 bar (others on request)   |
| <ul> <li>1.4 SEALS<br/>NBR (= Perbunan)</li> <li>1.5 INSTALLATION<br/>As tank-top filter</li> <li>1.6 SPECIAL MODELS AND<br/>ACCESSORIES</li> <li>Connections for filling the hydraulic<br/>system via return line element<br/>(RFM 330 and above)</li> <li>Extension tube on request</li> <li>Tank breather filter built into head on<br/>RFM 75 to 270</li> <li>Dipstick for RFM 75, 165, 185<br/>(RFM 90 and 150 on request)</li> <li>2-hole flange (see brochure "Return<br/>Line Filter RFM with 2-hole mounting")</li> <li>Multiport head on RFM 75, 165, 185</li> <li>Single port version for RFM 75, 165<br/>and 185 on request</li> <li>1.7 SPARE PARTS<br/>See Original Spare Parts List</li> <li>1.8 CERTIFICATES AND APPROVALS<br/>On request</li> <li>1.9 COMPATIBILITY WITH<br/>HYDRAULIC FLUIDS ISO 2943</li> <li>Hydraulic oils H to HLPD DIN 51524</li> <li>Lubrication oils DIN 51517, API,<br/>ACEA, DIN 51515, ISO 6743</li> <li>Compressor oils DIN 51506</li> </ul> | <ul> <li>1.10 IMPORTANT INFORMATION</li> <li>Filter housings must be earthed.</li> <li>When using electrical clogging indicators, the electrical power supply to the system must be switched off before removing the clogging indicator connector.</li> <li>If an extension tube is to be fitted to the two-piece filter housing, the tube must be made of synthetic material or thin-wall aluminium.</li> <li>Extensions must be protected by fitting a bulkhead plate or other means of protection so that no forces can be transmitted to the filter housing or the extension.</li> <li>The filter can normally only be used for tank-mounting</li> <li>The filter must be fitted absolutely vertically, or after consultation with the manufacturer, only within the tolerances specified</li> <li>The filter must not be used as a suction filter</li> <li>Components (e.g. coolers) must not be installed after the filter</li> </ul> |
| <ul> <li>Biodegradable operating fluids VDMA 24568 HETG, HEES, HEPG</li> <li>Fire-resistant operating fluids HFA, HFB, HFC and HFD</li> <li>Operating fluids with high water content (&gt;50% water content) on request</li> </ul>  |   |




E 7.106.1.0/03.12


**HYDAC** | 163


| 2. MODEL CODE (also order example)<br>2.1. COMPLETE FILTER: TANK-TOP VERSION  | <u>RFM BN/HC 500</u> B F F <u>10</u> D 1 . X <u>/-L24</u> |
|---|---|
| Filter type   |   |
| RFM   |   |
| Filter material of element         BN/HC Betamicron® (BN4HC)         P/HC Paper         W/HC Stainl. steel wire mesh         MM Mobilemicron    ECO/N ECOmicron® (ECON2) - not RFM 210, 270 BN/AM Betamicron®/Aquamicron® - only RFM 330 to 851 * RFM 600 only available with material BN4HC!   | 351   |
| Size of filter or element           RFM:         75, 90, 150, 165, 185, 210, 270, 330, 500, 600, 661, 851   |   |
| Operating pressure<br>B = 10 bar  |   |
| Additional inlet  |   |
| Type         Port         Filter size         not possible on           75         165         185         330         500         600         661         851           RFM 90 and 150   |   |
| D G1 • • • • • • • • • • • • • • • • • •  |   |
| K SAE DN 40 • •   |   |
| M SAE DN 65   |   |
| Z specification •   |   |
| Type and size of port (1 inlet)   |   |
| Type         Port<br>thread         Filter size           75         90         150         165         185         210         270         330         500         600         661         851   |   |
| $\begin{array}{c c c c c c c c c c c c c c c c c c c $  |   |
| D G1 • X X • • • •  |   |
| E         G 1¼         •         •         •           F         G 1½         •         •         •         •         •   |   |
| K         SAE DN 40         • |   |
| M         SAE DN 65         •         •         •         × | request   |
| Filtration rating in μm   | 100, 200  |
| Type of clogging indicator           Y         plastic blanking plug in indicator port  |   |
| A steel blanking plug in indicator port<br>B/BM visual  |   |
| C electrical for other clogging indicators see brochure no. 7.050/  |   |
| D visual and electrical   |   |
| Type code<br>0 without port, no clogging indicator  |   |
| 1-3 see point 2.5 - note position of clogging indicator!  |   |
| Modification number         X       the latest version is always supplied   |   |
| Supplementary details   |   |
| <b>4L 4-hole flange for mounting (must be specified for RFM 75 to 185)</b><br>AB. setting pressure of indicator and cracking pressure of bypass in bar (e.g.: A5-B6)  |   |
| BA filling connection G ½ (RFM 330 to 851)  |   |
| G with threaded port at outlet (RFM 330 and above)<br>L light with appropriate voltage (24, 48, 110, 220 Volt)  | dicators  |
| LED 2 light emitting diodes up to 24 Volt   |   |
| PZxx dipstick RFM 90, 150 on request  |   |
| T with tank breather filter (only for RFM 75 to 270)<br>V FPM seals   |   |
| Vxxx with extension tube (where xxx is the final dimension of the extension)<br>W suitable for HFA and HFC emulsions  |   |
| xxxx RFM 600 only (see point 2.4)   |   |
| 2.2 REPLACEMENT ELEMENT   | <u>0500</u> R <u>010</u> <u>BN4HC</u> /-V                 |
| Size  |   |
| Туре  |   |
| R<br>Filtration rating in um  |   |
| Filtration rating in μm   | 5   |
| Filter material —<br>BN4HC, ECON2, P/HC, W/HC, BN4AM, AM, MM  |   |
| Supplementary details<br>V (for descriptions, see point 2.1)  |   |

| 2.3REPLACEMENT CLOGGING INDICA  | ATOR                                    |                | <u>VR</u> 2 D.X <u>/-L24</u> |
|---|---|----------------|------------------------------|
| Type<br>VR connection thread G 1/2 ] return line<br>VMF connection thread G 1/8 ] | indicator                               |                |                              |
| Pressure setting2 standard 2 bar, others on request                               |   |                |                              |
| Type of clogging indicator  |   |                |                              |
| Modification number<br>X the latest version is always supplied                    |   |                |                              |
| Supplementary details<br>L, LED, V (for descriptions, see point 2.1)              |   |                |                              |
| 2.4 PORT CONFIGURATION RFM 600<br>Since there are numerous options                | for RFM 600B <b>ZK</b><br>Port A1 A2 A3 | A4 A5 Example: | IC 600 BZL 10 A 1.0 /-0FL0C  |
| for machining the ports on the head   | 0.3/                                    |                | $\sim$                       |

for machining the ports on the head of the RFM 600, the code BZx is selected here as standard. In order to determine the position and size of the ports, a 5-letter code is added as a supplementary detail. This is determined using the table below. Unused ports are indicated by a "0".









#### 2.5 TYPE CODE: MOUNTING POSITION OF THE CLOGGING INDICATOR


## RFM 90, 150 .../-4L



#### RFM 75, 165, 185 .../-4L (Multiport head)



| Type code | Mounting position of the clogging indicator      | Type of indicator |
|-----------|--|-------------------|
| 2.X       | Clogging indicator on left,<br>90° to the inlet  | VMF               |
| 3.X       | Clogging indicator on right,<br>90° to the inlet | VMF               |
|           |  |                   |
|           |  |                   |
|           |  |                   |
|           |  |                   |
| Type code | Mounting position of the clogging indicator      | Type of indicator |
| 1.X       | see drawing                                      | VMF               |
|           | -  |                   |
|           |  |                   |



166 HYDAC

#### 2.6 RETURN LINE FILTERS RFM ALL-PLASTIC



The RFM All-Plastic filter provides a cost-effective alternative to the standard RFM product range.

This filter is an all-plastic version with a simple hose connection as the return line port.


The well-known HYDAC element technology is of course available for these filter types

Nominal pressure: 7 bar Flow rate up to 100 l/min Temperature range: -30 °C to +100 °C

## $\Delta p$ -Q HOUSING CURVES BASED ON ISO 3968

The housing curves apply to mineral oil with a density of 0.86 kg/dm<sup>3</sup> and a kinematic viscosity of 30mm<sup>2</sup>/s.


In this case, the differential pressure changes proportionally to the density.




| Model Code  |
|---|
| <u>RFMP</u> <u>BN/HC</u> <u>165</u> Y <u>HB</u> <u>10</u> A 1 <u>.X</u> / <u>-4L-B6</u> |
| Type  |
| Filter material   |
| BN/HC Betamicron  |
| ECO/N ECOmicron   |
| MM Mobilemicron   |
| <b>Size</b> 165   |
| Operating pressure  |
| Y 7 bar   |
| Type of connection       HB     Hose connection (hose barb)                             |
| Filtration rating   |
| BN/HC, ECO/N 3, 5, 10, 20   |
| MM 8, 10, 15  |
| Type of clogging indicator (VA)         A       steel blanking plug in indicator port   |
| Type code   |
| Modification number   |
| X The latest version is always supplied   |
| Supplementary details   |
| All Alberts flow we fan we sunting a surveyt he som eitfieldt                           |

- 4L 4-hole flange for mounting = **must be specified**!
- B6 Bypass 6 bar







## 3. FILTER CALCULATION / SIZING

The total pressure drop of a filter at a certain flow rate Q is the sum of the housing  $\Delta p$  and the element  $\Delta p$  and is calculated as follows:

$$\begin{array}{ll} \Delta p_{\text{total}} &= \Delta p_{\text{housing}} + \Delta p_{\text{element}} \\ \Delta p_{\text{housing}} &= (\text{see Point 3.1}) \end{array}$$

$$\Delta p_{element} = Q \cdot \frac{SK^*}{1000} \cdot \frac{viscosity}{30}$$


(\*see point 3.2)

For ease of calculation, our Filter Sizing Program is available on request free of charge.

NEW: Sizing online at www.hydac.com

#### 3.1 ∆p-Q HOUSING CURVES BASED ON ISO 3968

The housing curves apply to mineral oil with a density of 0.86 kg/dm<sup>3</sup> and a kinematic viscosity of 30mm<sup>2</sup>/s. In this case, the differential pressure changes proportionally to the density.





RFM 210, 270

0.4

0.3

0.2

0.1

0


0


100

200

Q [l/min]

∆p [bar]





800

1000

RFM 661, 851


RFM 330, 500

0.3

0.25

0.2

[bar]







#### 3.2 GRADIENT COEFFICIENTS (SK) FOR FILTER ELEMENTS

The gradient coefficients in mbar/ (l/min) apply to mineral oils with a kinematic viscosity of 30 mm<sup>2</sup>/s. The pressure drop changes proportionally to the change in viscosity.


| RFM | ECON | 12   |       |       | W/HC  |
|-----|------|------|-------|-------|-------|
|     | 3 µm | 5 µm | 10 µm | 20 µm | -     |
| 75  | -    | -    | 8.1   | 4.4   | 0.702 |
| 90  | -    | -    | 6.7   | 3.2   | -     |
| 150 | 8.9  | 6.0  | 4.0   | 1.9   | -     |
| 165 | 11.2 | 7.8  | 4.5   | 2.4   | 0.324 |
| 185 | 8.9  | 6.1  | 3.3   | 1.8   | -     |
| 210 | -    | -    | -     | -     | -     |
| 270 | -    | -    | -     | -     | -     |
| 330 | 4.2  | 2.7  | 1.7   | 1.2   | 0.162 |
| 500 | 3.0  | 1.9  | 1.3   | 0.8   | 0.108 |
| 600 | -    | -    | -     | -     | -     |
| 660 | 1.9  | 1.2  | 0.8   | 0.5   | 0.081 |
| 850 | 1.5  | 1.0  | 0.7   | 0.4   | 0.063 |



BN4HC: RFM 90



BN4HC: RFM 150





n


100 150 200 250 300 350


Q [l/min]

50











E 7.106.1.0/03.12


170 | **HYDAC** 







172 | **HYDAC** 



#### NOTES

| NO | TES |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   |   |
|----|-----|--|-------|--|------|--|------|---|------|---|---|---|------|-------|--|--|--|---|---|
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      | _     |  |  |  |   |   |
|    |     |  | <br>  |  | <br> |  | <br> |   | <br> |   |   |   |      | _     |  |  |  |   |   |
|    |     |  | <br>  |  |      |  | <br> |   | <br> |   |   |   | <br> | _     |  |  |  |   |   |
|    |     |  | <br>_ |  |      |  | <br> |   |      |   |   |   |      | <br>- |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   | _ |   |      | -     |  |  |  |   | _ |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   | _ |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  | <br>_ |  | <br> |  |      | _ |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  | <br>_ |  |      |  |      | _ | _    | _ |   |   |      |       |  |  |  |   |   |
|    |     |  | <br>_ |  | <br> |  | <br> |   |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   | _ |   |      | -     |  |  |  |   | _ |
|    |     |  |       |  |      |  |      |   |      |   | _ | _ |      | -     |  |  |  |   | _ |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  | <br>_ |  | <br> |  |      |   |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  | <br>  |  | <br> |  | <br> |   |      |   |   |   |      | <br>  |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   | <br> |   |   |   |      | <br>_ |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      | _     |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  | _     |  |      |  |      |   | <br> |   |   |   |      |       |  |  |  |   |   |
|    |     |  | _     |  |      |  |      |   | <br> |   |   |   |      | _     |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   | <br> |   |   |   |      | _     |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  | - |   |
|    |     |  | <br>  |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   | _ |
|    |     |  | -     |  |      |  |      |   |      |   |   |   |      | +     |  |  |  |   |   |
|    |     |  | -     |  |      |  |      |   |      |   |   |   |      | +     |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   |   |
|    |     |  |       |  |      |  |      |   |      |   |   |   |      |       |  |  |  |   |   |

## NOTE

The information in this brochure relates to the operating conditions and applications described.

For applications or operating conditions not described, please contact the relevant technical department.

Subject to technical modifications.

HYDAC FILTERTECHNIK GMBH Industriegebiet D-66280 Sulzbach/Saar Tel.: 0 68 97 / 509-01 Fax: 0 68 97 / 509-300 Internet: www.hydac.com E-Mail: filter@hydac.com

174 | **HYDAC**